



CONTENTS	Introduction	2
	Impact of COVID-19	2
	Scope	3
	Definitions	4
	Notification to the Authority	4
	High or Extreme Risk Environmental Hazards	5
	Contact Information	5
	Reporting and Notification Protocol	6
	Inventory of Potential Pollutants	8
	Incident Response Equipment Register	9
	Response to Environmental Incidents	10
	General	
	Unlicenced Release of Mine Water (Pit Water, Dams, Drains and Lines)	11
	Unlicenced Release of Process Water	13
	Hydrocarbon Spill	14
	Blasting	14
	Noise Pollution	16
	Spontaneous Combustion	17
	Night Lighting Impact	
	Testing of Procedures	18
	Training	
	Audit and Review	19
	Document Management	
	Consultation	
	Support Documents	
	Attachments	20
	Revision History	
	Appendix A	22
	Appendix B	22

POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN Document Title: Document Owner: Chris Knight **BLOOMFIELD COLLIERY - EPL396** Prepared By: Last Review Date: 12-Aug-21 Version No: Greg Lamb Reviewed By: Chris Knight 12-Aug-21 Issue Date: 12 MONTHS Approved By: Geoff Moore Review Frequency: 1 of 22 Page No:



INTRODUCTION

It is the policy of The Bloomfield Group (Bloomfield) to strive to achieve a high standard of care for the natural environment and local community in all of the activities in which we engage during the production of quality coal and the provision of engineering related services (refer to *Environment Management Policy*).

Bloomfield is committed to the prevention, in so far as is reasonably practicable, of harm to the natural environment and local community through the identification and control of environmental hazards. In the course of operations, incidents and other events may occur that require a response in order to either prevent the incident from reoccurring or to minimise negative and/ or maximise positive impacts of the incident.

Section 148 of the *Protection of the Environment Operations Act* 1997 (*POEO Act*) requires that the "Relevant Authority" is notified "where a pollution incident occurs in the course of an activity so that material harm to the environment is caused or threatened" see also the Section *Notification to the Authority* later in the document.

This Management System document provides information and the Procedures to guide the response to managing, including reporting to authorities, and the community environmental incidents at Bloomfield Group Mining Operations; particularly those Operations that operate under an Environmental Protection Licence (EPL).

It demonstrates compliance with Part 5.7A of the *POEO Act* and Part 3A of the *Protection of the Environment Operations (General) Regulation 2009 (POEO (G) Regulation)* related to establishing Pollution Incident Response Management Plans.

IMPACT OF COVID-19

The intent of this Management Plan as drafted may have been impacted by COVID-19. As such, where there are any references to expectations of people gathering, meeting or generally being in the same vicinity, this is to be done with appropriate social distancing, personal hygiene, and effective respiratory hygiene measures applied. Workers must reference the COVID-19 Management Plan for guidance on effective prevention and control practices for all activities conducted at a Bloomfield Operation. Workers unsure of how to control the risk, should stop the job and report this to the Supervisor in line with the *Risk Management System*.

Document Title: POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN BLOOMFIELD COLLIERY - EPL396
Prepared By: Greg Lamb Last Review Date: 12-Aug

Reviewed By: Chris Knight

Approved By:

Geoff Moore Review Frequency:

12-Aug-21
12 MONTHS

Document Owner: **Chris Knight**Version No: 12.0

Issue Date: 12-Aug-21 Page No: 2 of 22



SCOPE

This document relates to incidents that cause or threaten "material harm" to the environment for the Bloomfield Open Cut Mine located at Four Mile Creek Road Ashtonfield New South Wales. (refer to Section *Definitions* below).

Potential environmental incidents related to Bloomfield Mining Operations have been identified through an Environmental Risk Assessment conducted as per the *Group Risk Management System* (refer to *Environmental Emergencies Risk Assessment Report 300712*). A summary of the environmental hazards identified through that process, as being of significance to the Operations and therefore as requiring a response under Environmental Protection Authority (EPA) required Pollution Incident Response Management Plans, is presented in Table 1 below.

The Environmental Emergencies Risk Assessment Report 300712 and this document are aimed at demonstrating compliance with the requirements of Section 153C of the POEO Act 1997 "Information to be included in Plan" and of Clauses 98C (1), "Additional matters to be included in the Plan"; 98D "Availability of Plan"; & 98E "Testing of Plan" of the POEO (G) Regulation 2009.

Meets requirements of CL. 98C (1)(j)

Other relevant documents readers should be aware of include the *Emergency Response Principle Control Plan* and the *Incident Notification Procedure*.

Other related information can be accessed through the *Group Hazardous Materials Management System* in the relevant Safety Data Sheet (SDS).

POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN Document Title: Document Owner: Chris Knight **BLOOMFIELD COLLIERY - EPL396** Prepared By: Greg Lamb Last Review Date: 12-Aug-21 Version No: Reviewed By: Chris Knight Issue Date: 12-Aug-21 12 MONTHS Approved By: Geoff Moore Review Frequency: Page No: 3 of 22



DEFINITIONS

Material Harm to the Environment (Section 147 of the POEO Act 1997)

Section 147 of the *POEO Act 1997* provides that:

- (1) For the purposes of this Part--
- (a) harm to the environment is material if--
 - (i) it involves actual or potential harm to the health or safety of human beings or to ecosystems that is not trivial, or
 - (ii) it results in actual or potential loss or property damage of an amount, or amounts in aggregate, exceeding \$10,000 (or such other amount as is prescribed by the regulations), and
- (b) loss includes the reasonable costs and expenses that would be incurred in taking all reasonable and practicable measures to prevent, mitigate or make good harm to the environment.
- (2) For the purposes of this Part, it does not matter that harm to the environment is caused only in the premises where the pollution incident occurs.

NOTIFICATION TO THE **AUTHORITY**

With regards to activities that cause, or threaten, a significant environmental incident, Section 148 of the POEO Act 1997 requires (in summary) that:

- A person carrying on the activity must immediately notify each relevant authority of the incident and all relevant information about it.
- ☐ An employee carrying on an activity must immediately notify the employer of the incident and all relevant information about it. If the employer cannot be contacted, the person is required to notify each relevant authority.
- ☐ An employer who is notified of an incident or who otherwise becomes aware of a pollution incident, must, immediately notify each relevant authority of the incident. Refer to the Sections Contact Information and Reporting and Notification Protocol for contact details and protocols related to reporting to the "Authorities".

POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN Document Title: **BLOOMFIELD COLLIERY - EPL396** Last Review Date:

Prepared By: Greg Lamb Reviewed By: Chris Knight

Approved By:

Geoff Moore Review Frequency: 12-Aug-21

12 MONTHS

Document Owner: Chris Knight Version No:

Issue Date: 12-Aug-21 Page No: 4 of 22



HIGH OR EXTREME RISK ENVIRONMENTAL HAZARDS

The *MinOp Environmental Emergencies Risk Assessment Report 300712* identified no Extreme rated environmental hazards at Bloomfield Mining Operations.

The following hazards were identified as having the greatest potential to cause "material harm" to the environment and therefore as being required to be addressed in the Mining Operation Pollution Incident Response Management Plan included in this document.

Hazard	Operation	Risk Ranking (Consequence/ Likelihood)
Unlicensed release of mine- water (pit-water storage)	Open Cut Mining	High (Major/ Possible)
Unlicensed release of mine- water (separators, drains & lines)	Open Cut Mining/ Coal Processing/ Maintenance	High (Major/ Possible)
Unlicensed release of process water (dams)	Coal Processing	High (Major/ Possible)
Noise pollution	Open Cut Mining/ Coal Processing/ Maintenance	Significant (Major/ Remote)
Hydrocarbon Spill (Bulk Storage/ Service Truck/ Delivery to site)	Exploration & Construction/ Open Cut Mining/ Coal Processing/ Maintenance	Significant (Major/ Remote)
Blasting (noise, vibration, dust, NOx)	Open Cut Mining	Significant (Major/ Remote)
Spontaneous Combustion	Open Cut Mining/ Coal	Significant (Major/
(Spon Com)	Processing	Remote)
Night lighting impact	Open Cut Mining/ Coal Processing/Maintenance	Significant (Major/ Remote)

Meets requirements of Cl. 98C (1)(a), (b) & (c)

Table 1: Potential Environmental Incidents

CONTACT INFORMATION

Meets requirements of CI. 98C (1)(g)(i),(ii) &(iii)

Table 2 below contains the contact details (as per Section 153C (c) of the *POEO Act* 1997 and Cl. 98C of the *POEO* (*G*) *Regulation* 2009) who are authorised to:

- ☐ Activate the Pollution Incident Response Management Plan (in accordance with the Reporting and Notification Protocol below);
- Notify the relevant authorities (in accordance with the *Reporting and Notification Protocol* below):
- ☐ Manage (relevant to their area of expertise) the incident.

Table 3 below contains the contact details for the relevant Regulatory Authorities. See Attachment A for contact details for neighbouring landowners.

REFER TO *Reporting and Notification Protocol* (see below) BEFORE CALLING ANY EXTERNAL PERSONS OR ORGANISATIONS.

Document Title:		CIDENT RESPONSE MANAG COLLIERY – EPL396	EMENT PLAN	Document Owner:	Chris Knight
Prepared By:	Greg Lamb	Last Review Date:	12-Aug-21	Version No:	<mark>12.0</mark>
Reviewed By:	Chris Knight			Issue Date:	12-Aug-21
Approved By:	Geoff Moore	Review Frequency:	12 MONTHS	Page No:	5 of 22



Meets requirements of CI. 98C (1)(h)

INTERNAL (BLOOMFIELD GROUP) REPORTING			
Name	Phone Number		
John Richards	Chairman of the Board	0419 236 002	
Brett Lewis	Managing Director / CEO	0409 494 366	
Reg Crick	Director	0408 680 432	
Norah St. George	Director	0439 642 297	
Luke Murray	Chief Operations Officer	0407 490 944 0427 292 152	
Brad Donoghue	Mine Manager, Bloomfield	0418 923 058	
Chris Knight	Environmental Manager	0403 058 777	
Greg Lamb	Environmental Advisor, Bloomfield	0457 819 211	
Simon Ball	MinterEllison– Environmental Legal Advisors	0402282428	

Table 2: Bloomfield Authorised Persons

EXTERNAL (REGULATORY AUTHORITY) REPORTING			
Organisation	Contact Details		
EPA – Pollution line	131 555		
Dept Planning Industry & Environment	1300 305 695 or local 6575 3400 and compliance@planning.nsw.gov.au		
Dept of Regional NSW-	1300 814 609 and		
Resources Regulator	nswresourcesregulator@service-now.com		
NSW Health (Public Health Unit – Newcastle)	Office (02) 4924 6477 (ask for Public Health Officer) Fax 02 4924 6490		
SafeWork NSW	131050		
Local Govt – Maitland	(02) 4934 9700 - 24 hrs, 7 days/wk		
State Emergency Services	132 500 or local (02) 6572 4669		
Fire & Rescue NSW 000			

Table 3: Regulatory Contacts

REPORTING AND NOTIFICATION PROTOCOL

The following protocol is to be applied following (or during) an environmental incident to ensure the appropriate persons and organisations are informed. This protocol should be read in conjunction with the authorisation and notification protocols contained in the document *Incident Notification Procedure*. Response actions are outlined later in this document in the Section *Response to Environmental Incidents*.

Workers

All workers (employees and contractors working on site) are required to **immediately** report all environmental incidents/ potential environmental incidents to their Supervisor.

Supervisor

The Supervisor will **immediately** report the incident to the Mine Manager (or alternate) and the site Environmental Advisor or Environmental Manager, and complete a copy of the *Group Incident Reporting Form*.

Document Title:		ION INCIDENT RESPONSE MANAGEMENT PLAN IELD COLLIERY – EPL396			: Chris Knight
Prepared By:	Greg Lamb	Last Review Date:	12-Aug-21	Version No:	<mark>12.0</mark>
Reviewed By:	Chris Knight			Issue Date:	12-Aug-21
Approved By:	Geoff Moore	Review Frequency:	12 MONTHS	Page No:	6 of 22



Mine Manager / Environmental Manager The Mine Manager (or alternate) with support from the Environmental Manger (or alternate) will make an **immediate** initial assessment of the incident and determine whether the incident represents/ threatens material harm (refer to Section *Definitions*) to the environment. If so, the incident will be reported to the CEO and the Directors.

If not, the incident will be managed internally utilising group resources, without reporting a Pollution Incident. *Note: this may still involve notification of relevant authorities if the incident is a non-compliance with EPL, Development Consent, or Mining Lease conditions, but not environmental harm (i.e. blast overpressure exceedance reporting).*

External Reporting to EPA (and other Authorities)

The Directors will decide if the incident warrants external reporting. If external reporting is authorised:

Meets requirements of S 153C (a)(ii)(iii)

- □ A verbal incident report is to be made "**immediately**" to the NSW EPA Pollution Line (taking note of incident number) by the Environmental Manager or Mine Manager (refer also to Section *Legal Professional Privilege* below).
- ☐ If the environmental incident causes or *threatens injury to human health* or safety, the incident is also to be reported to NSW Health and NSW Emergency Services, commensurate with the scale of the incident and potential impacts.
- ☐ If **actual injury or human health** impacts have occurred, the incident is to be reported to SafeWork NSW and Resources Regulator, as required in the *Incident Notification Procedure*.
- ☐ The incident will be reported to the relevant Local Government office.

Ongoing Communication with Authorities If required, the Mine Manager or delegated to the Environmental Manager will be the point of contact for all continuing communications with the authorities for the duration of the incident (and incident clean up) in accordance with the authority's instructions/ requirements until the emergency situation is resolved and/ or the authority is satisfied. For more information on the roles and responsibilities during emergency situations, see the *Emergency Response Principle Control Plan*.

Notification of Neighbouring Property Owners / Occupiers The Directors, or alternatively the Managing Director / CEO, or the Chief Operations Officer will determine whether the incident threatens offsite human health. If offsite environmental impacts and/ or human health is threatened, the potentially impacted landowners will be notified by the Environmental Advisor via phone call (see Appendix A for contact details of neighbouring landowners).

Meets requirements of S 153C (a)(i) & Cl. 98C (1) (i) & (l)

Consultation will take place with those people and adequate instructions will be provided to landowners to ensure the protection of human health, livestock and property. Timely updates will continue to be provided for the duration of the incident and clean-up work. A follow up report on the incident and outcomes will be presented to the community at subsequent Community Consultation Committee meetings.

Investigation

Any "Notifiable Incident" as defined in this document is reported using the *Group Incident Reporting Form* and is considered to be a Significant Incident and will trigger a Significant Incident Investigation as per the *Group Incident Investigation Procedures*.

Document Title:		IDENT RESPONSE MANAG DLLIERY – EPL396	EMENT PLAN	Document Owner:	Chris Knight
Prepared By:	Greg Lamb	Last Review Date:	12-Aug-21	Version No:	<mark>12.0</mark>
Reviewed By:	Chris Knight			Issue Date:	12-Aug-21
Approved By:	Geoff Moore	Review Frequency:	12 MONTHS	Page No:	7 of 22



Follow-up Reporting

The NSW EPA will specify requirements for the provision of further information relating to the incident, but (at a minimum) will generally require a written report within 7 days of the incident. Other Government Agencies will also require this report (DPIE, MEG, RR).

INVENTORY OF POTENTIAL POLLUTANTS

Table 4 below presents the type, maximum volume and location of potential pollutants stored at the licenced premises.

See Appendix B for a site map of Bloomfield Mine, including the location of potential pollutants.

Meets requirements of Cl. 98C (1)(d) & (e)

Potential Pollutant	Maximum Volume	Location
Distillate – C1	140,000 litres	Open Cut Workshop
Distillate – C1	15,000 litres CHPP	
Oil C2	55,000 litres	Open Cut Workshop
Gas – O2, Acetylene	1,000 m ³	CHPP
Nalfote – Flammable - 3 III	20,000 litres	CHPP
Caustic soda	18,000 litres CHPP	
Explosives	15,000 kg	Magazine
Explosives Precursor	60,000 kg	Reload Bin
Coal tailings	1,400 Kt	Open Cut
Mine Water / Process Water	225 M litres	Storage Dams
Sewerage / Effluent	4,000 litres	Minor storage adjacent to administration buildings and bath houses.

Table 4: Potential Pollutants Stored at the Site

POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN Document Owner: Chris Knight **Document Title: BLOOMFIELD COLLIERY - EPL396** Prepared By: Greg Lamb Last Review Date: 12-Aug-21 Version No: Reviewed By: Chris Knight Issue Date: 12-Aug-21 12 MONTHS Approved By: Geoff Moore Review Frequency: Page No: 8 of 22



INCIDENT RESPONSE EQUIPMENT REGISTER

Table 5 below summarises the equipment and resources available to assist with the management of an environmental incident (refer also to *Emergency Response Principle Control Plan*).

Meets requirements of CI. 98C (1)(f)

Equipment or Resource	Location	Maintenance Responsibility
Spill kits	Workshops and hydrocarbon storage facilities	Enviro. Advisor
Earthmoving plant (e.g. grader, backhoe)	Open cut	Mine Manager
Camera and sampling equipment	Environmental Store Room	Enviro. Advisor
Spare (or hire) pumps and polypipe line	Approx 1,000m spare polypipe line in open cut lay down area. Pumps hired as needed.	Pump Supervisor
Vacuum truck (hire via waste contractor)	Offsite	Enviro. Advisor
SDS Register	Online	Group Procurement Manager
Fire fighting equipment	Workshops, CHPP, fuel storage facilities and on vehicles/ plant.	Area Supervisors

Table 5: Register of Environmental Response Equipment



RESPONSE TO ENVIRONMENTAL INCIDENTS

The following Sections outline the resources and actions required to respond to environmental incidents. A response action plan is presented for each of the significant potential pollution incidents outlined in Table 1. A summary of the management measures in place to minimise the likelihood of the incidents, and the relevant management system documents, are also presented.

GENERAL

AS WELL AS FOLLOWING THE SPECIFIC ACTIONS DETAILED FOR EACH ENVIRONMENTAL INCIDENT BELOW, THE FOLLOWING GENERAL ACTIONS SHOULD BE FOLLOWED FOR ALL ENVIRONMENTAL INCIDENTS:


- □ Report the incident to Supervisor, Mine Manager and Environmental Advisor (as detailed in the reporting and Notification Protocol section). At a minimum, the reported information should include:
 - Nature of the Incident:
 - ♦ Location of the Incident:
 - Assistance required (e.g. spill kit, machinery).

Meets requirements of S 153C (b) & Cl. 98C (1) (i) & (j)

- Assess the scale of the incident and incident site, identifying potential hazards to human safety, and take appropriate actions to maintain human safety.
- ☐ Where possible, and safe, implement the 3 Cs Incident Response Control, Contain, Clean-up:
 - Control the source of the pollution incident, and control access to the impacted area:
 - Contain the released pollutant from spreading any further; and
 - ◆ Clean up the already released pollutant (and dispose of legally)

Depending on the scale of the incident, the 3Cs response may be achievable locally with site based spill kits, but may also require the use of specialised contractors.

POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN **Document Title:** Document Owner: Chris Knight **BLOOMFIELD COLLIERY - EPL396** Last Review Date: Prepared By: Greg Lamb 12-Aug-21 Version No: Reviewed By: Chris Knight Issue Date: 12-Aug-21 12 MONTHS Approved By: Geoff Moore Review Frequency: Page No: 10 of 22





UNLICENCED
RELEASE OF MINE
WATER (PIT WATER,
DAMS, DRAINS AND
LINES)

Mine-water (typically saline and turbid) is stored in non-operational open cut pits and storage dams onsite. This mine-water is also transferred between storages using open drains and polypipe lines.

If pits, dams, drains or lines fail, mine-water has the potential to discharge into natural creeks and drainage lines that lead offsite and into natural watercourses, eventually reporting to the Hunter River.

Incident Management	Responsible Person
Preventative Actions	
 Measures outlined in the Bloomfield Water Management Plan implemented, including: ☐ Mine planning to reduce unnecessary capture of clean water. ☐ Regular review of site water balance and pit water inventory to determine storage capacity. ☐ Monthly water quality testing to assess quality of stored waters. 	Tech Services Manager Environmental Advisor, Pump Supervisor Environmental Advisor
Regular inspection and, if required, maintenance of water management structures and equipment, such as pumps, polypipe lines, drains and dam walls.	Environment <mark>al</mark> Advisor, Pump Supervisor
Release of mine water as allowed under EPL, in accordance with Environmental Water Management System.	Environme <mark>ntal</mark> Advisor
Fully welded and/ or flange-jointed polypipe lines High risk pipelines are fitted with flow monitoring equipment.	Mine Manager, Pump Supervisor

POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN **Document Title:** Document Owner: Chris Knight **BLOOMFIELD COLLIERY - EPL396** Last Review Date: Prepared By: Greg Lamb 12-Aug-21 Version No: Reviewed By: Chris Knight Issue Date: 12-Aug-21 12 MONTHS Review Frequency: Approved By: Geoff Moore Page No: 11 of 22



Response Actions	
Report incident (as detailed in the Reporting and Notification Protocol section)	See Reporting and Notification Protocol section
 Take action to stem flow of mine water: Failed polypipe line - shutdown pump and engage contractors to repair line. Drain failure – shutdown pump, close valve or reduce water level on overflowing storage. Use earthmoving plant to install temporary bypass or reinstate drain. Dam failure or overtop - increase pumping capacity to reduce water levels. 	Mine Manager, Pump Supervisor
Where possible, prevent mine water from leaving site – divert water to alternative storage or install check dam or sump, and pump water back to alternative storage (taking into account possible damage to natural drainage lines).	Mine Manager, Pump Supervisor
Evacuate any downstream work areas that may be impacted by released mine water.	Mine Manager, Pump Supervisor
Implement water sampling program to characterise discharge water quality for the duration of the discharge, and assess potential downstream impacts.	Environme <mark>ntal</mark> Advisor
Inspect integrity of other mine water management structures that may have also been impacted.	Environment <mark>al</mark> Advisor, Pump Supervisor
Group Incident Investigation Procedures	Mine Manager

Table 6: Register of Environmental Response Equipment

POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN Document Title: Document Owner: Chris Knight **BLOOMFIELD COLLIERY - EPL396** Prepared By: Last Review Date: 12-Aug-21 Version No: Greg Lamb Reviewed By: Chris Knight 12-Aug-21 Issue Date: 12 MONTHS Approved By: Geoff Moore Review Frequency: 12 of 22 Page No:



UNLICENCED RELEASE OF PROCESS WATER (Dams, Drains and Lines) Fine coal rejects consisting mainly of clay particles (tailings) are disposed of onsite in non-operational open cut voids, and transferred from the CHPP via polypipe lines.

Tailings emplacement volume at Bloomfield Mine is increased through constructed dam walls (note: Approved Tailings Dam designed to Dam Safety Committee Specifications). If the tailings dam fails (non-catastrophic failure) or lines fail, tailings may be released to natural creeks and drainage lines. Depending on water flow in the creeks, the fine tailings may be transported downstream.

Incident Management	Responsible Person
Preventative Actions	
Measures outlined in the <i>Emplacement Area Management Plan</i> implemented, including: ☐ Annual inspection of dam integrity by qualified civil engineer. ☐ Long-term mine planning to ensure adequate tailings storage volume for life of mine. ☐ Approved tailings dam designed to Dam Safety Committee Specifications ☐ Surveyor's Monitoring Plan of tailings and decant water levels	Tech Services Manager
Regular inspection and, if required, maintenance of tailings emplacement and transfer infrastructure, such as polypipe lines.	Tech Services Manager
Protective intercept drains adjacent to tailings line.	Tech Services Manager
Fully welded and/ or flange-jointed polypipe lines High risk pipelines are fitted with flow monitoring equipment, alarms and are double skinned outside of dirty water catchments.	Tech Services Manager
Response Actions	
Report incident (as detailed in the <i>Reporting and Notification Protocol</i> section)	See Reporting and Notification Protocol section
Take action to stem flow of tailings/decant water: □ Failed polypipe line – shutdown pump and engage contractors to repair line. □ Dam failure or overtop – stop pumping tailings. Increase decant water pumping capacity to reduce water levels. □ Use earthmoving plant to temporarily reinstate or raise emplacement wall.	Tech Services Manager
Where possible, prevent tailings from leaving site. Excavate sump or drain to intercept and pump tailings/ water back to alternative storage (taking into account possible damage to natural drainage lines).	Tech Services Manager
Implement downstream water sampling and visual inspection program to characterise impact on water quality and delineate migration of tailings particulate matter.	Environmen <mark>tal</mark> Advisor
Inspect integrity of the remainder of the emplacement and transfer line.	Tech Services Manager
Group Incident Investigation Procedures	Mine Manager

Table 7: Register of Environmental Response Equipment

Document Title:	POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN BLOOMFIELD COLLIERY – EPL396 Document Owner: Chris Kr			Chris Knight	
Prepared By:	Greg Lamb	Last Review Date:	12-Aug-21	Version No:	<mark>12.0</mark>
Reviewed By:	Chris Knight			Issue Date:	12-Aug-21
Approved By:	Geoff Moore	Review Frequency:	12 MONTHS	Page No:	13 of 22



HYDROCARBON SPILL (Bulk Storage, Service Truck / Delivery to Site

A significant release of hydrocarbons is possible from a vehicle accident involving a diesel delivery truck or an open cut field service truck, or failure of a bulk hydrocarbon storage facility.

Incident Management	Responsible Person
Preventative Actions	
The Mine Transport Management Plan (Roads or Other Vehicle Operating Areas) has been implemented to ensure safe traffic movement across operational mining areas.	Mining Supervisors
Design of hydrocarbon transfer and storage infrastructure in accordance with relevant Australian Standards and industry guidelines.	Group Manager Asset Management
Regular inspection and, if required, maintenance of hydrocarbon storage facilities.	Maintenance Engineer, Environmen <mark>tal</mark> Advisor
Maintenance of spill kits at high risk sites, such as workshops and hydrocarbon stores.	Maintenance Engineer, Environment <mark>al</mark> Advisor
Response Actions	
Report incident (as detailed in the Reporting and Notification Protocol section)	See Reporting and Notification Protocol section
 Employ the 3 Cs spill response actions to contain, contain and clean up released hydrocarbons: Contain released hydrocarbons with spill containment booms, mats, etc, or cutting a sump/ pushing up bunds. Where possible, prevent hydrocarbons entering drainage lines or from leaving site. Recover liquid waste (vacuum truck to be hired via waste contractors) and ensure disposal via licenced waste contractor. Implement soil and water sampling program to delineate hydrocarbon impacted area. Recover all hydrocarbon impacted material. 	Tech Services Manager
Ensure all contaminated waste products are disposed of in accordance with <i>Site Waste Management Procedures</i> , and spill kits are replenished, as required.	Environment <mark>al</mark> Advisor
Inspect integrity of the remainder of the hydrocarbon storage facility.	Maintenance Engineer, Environmen <mark>tal</mark> Advisor
Group Incident Investigation Procedures	Mine Manager

Table 8: Hydrocarbon Spill Preventative and Response Actions

BLASTING (Noise, Vibration, Dust, NOx)

Blasting, which is an integral part of open cut coal mining, can result in excessive offsite overpressure, ground vibration and dust impacts. Blasting can also cause clouds of visible oxides of Nitrogen (NO_x) fumes, which may cause health impacts.

Impacts are mainly preventatively managed through careful blast planning (refer also to Airborne Dust Management Plan).

Incident Management	Responsible Person
---------------------	--------------------

Document Title: Prepared By: Reviewed By:

Approved By:

Greg Lamb Chris Knight Geoff Moore

ENVIRONMENTAL EMERGENCY RESPONSE MANAGEMENT SYSTEM BLOOMFIELD MINE Last Review Date:

16-Mar-2021

Document Owner: Chris Knight Version No:

Issue Date: Page No:

11.0 16-Mar-21 14 of 22

12 MONTHS





Preventative Actions	
Blast design in accordance with Explosives Principle Control Plan to minimise offsite impacts.	Blasting Supervisor
Monitoring of meteorological conditions, and review of blasting forecast model (ENVMET), to plan blasting schedules, and model potential fume impacts.	Blasting Supervisor
Blast monitoring to record offsite ground vibration and airblast overpressure impacts.	Enviro <mark>nmenta</mark> l Advisor
Blast fume is managed in accordance with the Blast Fume Management Strategy which forms part of the Integrated Management Systems under MOMS.	Blasting Supervisor
Response Actions	
Report incident (as detailed in the Reporting and Notification Protocol section)	See Reporting and Notification Protocol section
□ Complaints Management Protocol□ Group Incident Investigation Procedures	Enviro <mark>nmental</mark> Advisor Mine Manager

Table 9: Blasting Issue Preventative and Response Actions

Document Title: Prepared By: Reviewed By:

Approved By:

Greg Lamb Chris Knight Geoff Moore 16-Mar-2021

Document Owner: Chris Knight Version No: 11.0

Review Frequency:

12 MONTHS

16-Mar-21 Issue Date: Page No: 15 of 22

ENVIRONMENTAL EMERGENCY RESPONSE MANAGEMENT SYSTEM BLOOMFIELD MINE Last Review Date:



NOISE POLLUTION

24 hour open cut operations generate offsite noise. Operations are managed and monitored to meet noise limits contained in the site Environmental Protection Licence (EPL). However, noise complaints are still received. Noise impacts can be enhanced by atmospheric conditions, such as temperature inversions or wind direction.

Incident Management	Responsible Person
PREVENTATIVE ACTIONS	
Planning and management of night time operations to meet development consent/ EPL noise limits.	Mine Manager, Mining Supervisors
Noise and meteorological monitoring programs. Daily review of noise forecast model (ENVMET)	Enviro <mark>nmental</mark> Advisor
Installation of noise mitigation measures on permanent infrastructure such as CHPP and conveyors.	Tech Services Manager, Enviro <mark>nmental</mark> Advisor
Community Consultative Committee meetings to obtain community feedback about offsite mine impacts, and modification of site operations in response to that feedback.	Enviro <mark>nmental</mark> Advisor
RESPONSE ACTIONS	
If complaint is received, Mining Supervisors will inspect noise levels and possible noise sources, and modify open cut operations, if required.	Mining Supervisors
Report incident (as detailed in the Reporting and Notification Protocol section)	See Reporting and Notification Protocol section
☐ Complaints Management Protocol☐ Group Incident Investigation Procedures	Enviro <mark>nmental</mark> Advisor Mine Manager

Table 10: Noise Pollution Issue Preventative and Response Actions

Document Title: Prepared By: Reviewed By:

Approved By:

Greg Lamb Chris Knight Geoff Moore

Last Review Date:

16-Mar-2021

Document Owner: **Chris Knight** Version No: 11.0

 Version No:
 11.0

 Issue Date:
 16-Mar-21

 Page No:
 16 of 22

Last Neview Date.

Review Frequency:

ENVIRONMENTAL EMERGENCY RESPONSE MANAGEMENT SYSTEM BLOOMFIELD MINE

12 MONTHS



SPONTANEOUS COMBUSTION

Spontaneous combustion (Spon Com) results from self-heating which is caused mainly by the oxidation of coal and coal rejects. If the heat generated by this reaction is trapped, such as in a spoil pile, the temperature of the material will begin to rise and if unchecked may ultimately ignite (i.e. spontaneously combust).

Incident Management	Responsible Person	
PREVENTATIVE ACTIONS		
Identification of high potential Spon Com coal ahead of mining (during resource definition investigations).	Mine Manager	
Dump design and scheduling to ensure Spon Com prone material is placed low in pit with adequate burial and no exposed edges to minimise oxygen ingress.	Mine Manager	
Procedures for handling and stockpiling of Spon Comprone materials.	Mine Manager/ Tech Services Manager	
Spontaneous Combustion Principal Mining Hazard Management Plan.	Mine Manager	
RESPONSE ACTIONS		
Report incident (as detailed in the Reporting and Notification Protocol section)	See Reporting and Notification Protocol section	
Separation, isolation and irrigation of Spon Com material to extinguish combusted material, and prevent spreading of combustion.	Mine Manager/ Mining Supervisors	
Group Incident Investigation Procedures	Mine Manager	

Table 11 Spontaneous Combustion Issue Preventative and Response Actions

Approved By:

ENVIRONMENTAL EMERGENCY RESPONSE MANAGEMENT SYSTEM BLOOMFIELD MINE

Review Frequency:

12 MONTHS

Issue Date: 16-Mar-21 Page No: 17 of 22



NIGHT LIGHTING IMPACT

Night lighting is required to ensure adequate illumination for night time vehicle/ mobile plant operations. Procedures are in place to ensure lighting plant are located so as not to cause offsite impact. However, complaints are occasionally received regarding night lighting.

A 24 hour complaints line is maintained to ensure timely response to night lighting incidents.

Incident Management	Responsible Person
PREVENTATIVE ACTIONS	
Design and maintenance of permanent flood lighting in accordance with development consent conditions to minimise light spillage.	Mine Electrical Engineer, Enviro. Advisor
Inspection of mobile lighting tower positioning to minimise offsite impacts of obtrusive lighting with specific regard to minimising the impact for residents in neighbouring suburbs.	Mining Supervisors
Community Consultative Committee meetings to obtain community feedback about offsite mine impacts, and modification of site operations in response to that feedback.	Enviro <mark>nmental</mark> Advisor
RESPONSE ACTIONS	
If complaint is received, Mining Supervisors will inspect positioning of lighting towers. Offsite inspection may also be required, if offending lighting plant is not immediately obvious.	Mining Supervisors
Report incident (as detailed in the Reporting and Notification Protocol section)	See Reporting and Notification Protocol section
Complaints Management ProtocolGroup Incident Investigation Procedures	Enviro <mark>nmental</mark> Advisor Mine Manager

Table 12: Light Issue Preventative and Response Actions

TESTING OF PROCEDURES

The information and actions contained in this document are tested annually to ensure the document remains accurate, relevant and practicable. Testing will alternate between desktop simulation and practical response exercise in alternate years.

Meets requirements of Cl. 98C (1)(m), (n) & (p)

Testing will also take place within a reasonable period of time after an actual Environmental Incident occurring, to ensure the procedures are adequate and up-to-date.

Testing, whether desktop simulation or practical exercise, will assess all aspects of the procedures contained in this document.

Following completion of testing, whether annual or incident related, observations and outcomes of the testing will be recorded and used to update this document, as required.

The Environmental Advisor coordinates the annual test, and maintains any records generated during testing. At a minimum, records must include date of testing, and the names of the person conducting the testing

Document Title: Prepared By: Reviewed By:

Approved By:

ENVIRONMENTAL EMERGENCY RESPONSE MANAGEMENT SYSTEM BLOOMFIELD MINE Greg Lamb Chris Knight

Geoff Moore

Last Review Date:

16-Mar-2021

Document Owner: Chris Knight

Version No: Issue Date:

11.0

Page No:

16-Mar-21 18 of 22



TRAINING

Training in the procedures contained in this document will be implemented as per the schedule presented in Table 6.

Meets requirements of CI. 98C (1)(m)

Coordination of the training program is the responsibility of the Environmental Advisor and recorded through the Group Training and Competency Management System.

Role	Format	Frequency
Mine Managers	Formal training & assessment/ participation in annual testing	Annual
Supervisors	Formal training	Annual
Operators/ Drivers	Toolbox Talk/ periodic participation in annual testing	Two Yearly
Maintenance Workers	Toolbox Talk/ periodic participation in annual testing	Two Yearly
Contractors	Site Induction	Two Yearly

Table 13: Training Schedule

AUDIT AND REVIEW

The ongoing effectiveness and efficiency of this Management System is monitored as part of the operation's day-to-day management. Feedback from this and other more formal reviews and/ or following special occurrences, form the basis for System improvement and re-design.

Internal auditing of this document is carried out as per the Internal Audit Management System.

Ongoing review of this document is as per the Systems Review Management System.

DOCUMENT MANAGEMENT

Copies of this document are managed under the Document Management System. This document and other relevant documents are kept on site and are available to all employees and contractors (as appropriate). This document and all other relevant documents in relation to this PIRMP will be provided to Emergency Services and Regulatory Officers upon request.

Meets requirements of CI. 98C (1)(o)

In accordance with Clause 98D of the POEO (G) Regulation the following information is available on The Bloomfield Group WEB Site on the Bloomfield Mine page:

- The procedures for contacting the relevant authorities including the EPA, local council, the NSW Ministry of Health, SafeWork NSW, and Fire and Rescue NSW; and
- ☐ The procedures for communicating with the community as described in Sub-section Notification of Neighbouring Property Owners/ Occupiers above.

A hardcopy of this document is maintained onsite, and made available to authorised EPA Officers, if requested. The hardcopy of this document will be found at the Bloomfield Mine Tech Services Office.

Approved By:

Geoff Moore

Review Frequency:





CONSULTATION	This Management System has been developed/ reviewed in consultation with relevant members of the workforce as appropriate to the impact and influence of the intent of the Management System.
SUPPORT DOCUMENTS	 □ Protection of the Environment Operations Act 1997 □ Protection of the Environment Operations (General) Regulation 2009 □ Environment Management Policy □ Environmental Emergencies Risk Assessment Report 300712 □ Emergency Response Principal Control Plan Bloomfield □ Incident Notification Procedure □ Incident Reporting Form □ Incident Investigation Procedures □ Environmental Water Management Procedure □ Washery Reject and Emplacement Area Management System □ Mine Transport Management Plan (Roads or Other Vehicle Operating Areas) □ Waste Management System □ Airborne Dust Management Plan □ Explosives Principle Control Plan □ Training and Competency Management System □ Internal Audit Management System □ Systems Review Management System □ Document Management System □ Document Management System □ Bloomfield Water Management Plan □ Spontaneous Combustion Principal Mining Hazard Management Plan
ATTACHMENTS	 □ Appendix A: Contact Details for Neighbouring Landowners □ Appendix B: Map of Site, Location of Potential Pollutants and Surrounding Area

Document Title: Prepared By: Reviewed By:

Approved By:

Greg Lamb Chris Knight Geoff Moore Last Review Date:

16-Mar-2021

Document Owner: **Chris Knight** Version No: 11.0

Issue Date:

Page No:

Review Frequency:

ENVIRONMENTAL EMERGENCY RESPONSE MANAGEMENT SYSTEM BLOOMFIELD MINE

.....

16-Mar-21 20 of 22



REVISION HISTORY

12	Legal Review by Minter Ellison-Post incident water discharge from historic underground workings at Rix's Creek	12/8/21	Simon Ball	Chris Knight
11	Post Incident Review (Rail Loader passive spill) occurred on 23/02/2021.	16/3/2021	Chris Knight	Chris Knight
10	Annual Review & Test conducted by Mine Manager, Environmental Manager, Open Cut Examiner and Environmental Advisor	11/12/2020	Greg Lamb/ Chris Knight	Geoff Moore
9	Update to include COVID-19 Requirements	06/05/2020	Chris Knight	Geoff Moore
8	Annual Review conducted by Mine Manager, Environmental Manager, Open Cut Examiner and Environmental Advisor	11/12/2019	Chris Knight	Brad Donoghue
7	Periodic Review conducted by Mine Manager and Environmental Advisor	12/12/2018	Greg Lamb	Brad Donoghue
6	Incident Related Review conducted by Mine Manager and Environmental Advisor	10/11/2017	Greg Lamb	Brendon Clements
5	Update to format, document reference names and contacts	22/02/2017	Amy Cameron	Brendon Clements
4	Incident Related Review conducted by Mine Manager and Environmental Advisor	28/01/2016	Greg Lamb	Brendon Clements
3	Incident Related Review conducted by Mine Manager and Environmental Advisor	19/05/2015	Greg Lamb	Brendon Clements
2	Incident Related Review conducted by Mine Manager and Environmental Advisor	04/06/2014	Greg Lamb	Brendon Clements
1	Periodic Review conducted by Mine Manager and Environmental Advisor	28/11/2013	Greg Lamb	Brendon Clements
0	Original Issue	03/10/2012	Max Geyer	Garry Bailey
Rev.	Description	Date	Drawn	Approved

Document Title: Prepared By: Reviewed By:

Approved By:

Greg Lamb Chris Knight Geoff Moore Last Review Date:

16-Mar-2021

Document Owner: **Chris Knight** Version No: 11.0

Review Frequency:

ENVIRONMENTAL EMERGENCY RESPONSE MANAGEMENT SYSTEM BLOOMFIELD MINE

12 MONTHS

 Version No:
 11.0

 Issue Date:
 16-Mar-21

 Page No:
 21 of 22





APPENDIX A	
	Please Note this information is not available in the web version due to Privacy Law.
APPENDIX B	Map of Site, Location of Potential Pollutants and Surrounding Area
	Please note the location of storages is not available in the web version due to commercial sensitivities and site security requirements.

Document Title: Prepared By: Reviewed By:

Approved By:

Greg Lamb Chris Knight

Geoff Moore

Last Review Date:

ENVIRONMENTAL EMERGENCY RESPONSE MANAGEMENT SYSTEM BLOOMFIELD MINE

16-Mar-2021

Document Owner: **Chris Knight** Version No: 11.0

Review Frequency:

12 MONTHS

Issue Date: 16-Mar-21 Page No: 22 of 22