

## Bloomfield Colliery Community Consultative Committee

Location: Bloomfield Colliery

Time: 10.00 am

Date: 18 November 2024

ATTENDEES	
Name	Organisation
Lisa Andrews (LA)	Independent Chairperson
Janet Murray (JM)	Community Representative
Jack Dwyer (JD)	Community Representative
Dennis Thurlow (DT)	Community Representative
Sarah Hyatt (SH)	Cessnock City Council
Brad Donoghoe (BD)	Bloomfield Colliery
Chris Knight (CK)	Bloomfield Colliery
Thomas Holz (TH)	Bloomfield Colliery
Greg Lamb (GL)	Bloomfield Colliery

Apologies	
Michael Jacobs (MJ)	Community Representative
Gary Hamer (GH)	Maitland City Council

Item	Issue	Action
1	Welcome & Introductions	
	The Chair opened the CCC meeting at 10:01AM and provided an Acknowledgment of Country. The Chair welcomed members to the meeting. Introductions were made for Thomas Holz who is replacing Geoff Moore from Bloomfield Colliery.	
2	Apologies – MJ & GH.	
3	Declarations	
	There were no changes to the Chair's previously recorded declarations.	



	ss Arising		THE SHIRE WE
	vious CCC was held on 8 July with the minu		
26 July.	There were 7 action items from that meeting	ng:	
ITEM	ISSUE	RESPONSIBILITY	
1	Resend Terms of Reference to CCC	LA	
1	members	LA	1. Complete - Tol
2	Briefing sheet on changes to be included	LA	emailed 18/7/2
2	with previous minutes	LA	2. Complete - Em
3	Provide Social Impact Assessment Survey	СК	18/7/24
3	to members	OIX	3. Complete – En
4	Provide summary of Annual Review to the	GL	9/7/24
7	CCC.	OL	4. Presented this
5	Update presentation pack with finalised	CK	meeting
3	noise assessment.	OIX	5. Complete – En
6	Provide presentation on how Bloomfield	СК	26/7/24
3	manages biodiversity offsets		6. Presented this
7	Share the link to the EIS with the CCC once	CK	meeting
•	it is available for comment		7. To be provided
Cor	nmary of rainfall data for the period; opliance noise monitoring within consent cr	iteria:	
• Ima	npliance noise monitoring within consent cr ge of predictive noise model provided;	iteria;	
Ima All I	npliance noise monitoring within consent cr ge of predictive noise model provided; plasting results within EPA criteria;	iteria;	
Ima All I	npliance noise monitoring within consent cr ge of predictive noise model provided; plasting results within EPA criteria; ge of predictive blasting model provided;		or
Ima All I Ima Dus	npliance noise monitoring within consent cr ge of predictive noise model provided; plasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable	le limits except fo	or
Ima All I Ima Dus PM:	npliance noise monitoring within consent cr ge of predictive noise model provided; blasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowables, and PM10 on 5/2/24. On 5/2/24 OEH A	le limits except fo ir Quality	or
Ima All I Ima Dus PM:	npliance noise monitoring within consent cr ge of predictive noise model provided; plasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A hitoring Network data were raised indicating	le limits except fo ir Quality	or
Ima All I Ima Dus PM: Mor	inpliance noise monitoring within consent or ge of predictive noise model provided; blasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A hitoring Network data were raised indicating onal dust levels.	le limits except fo ir Quality g elevated	or
Ima All I Ima Dus PM Mor regi	inpliance noise monitoring within consent or ge of predictive noise model provided; blasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A hitoring Network data were raised indicating onal dust levels.	le limits except fo ir Quality g elevated	or
Ima All I Ima Dus PM: Morregi Lice tota	inpliance noise monitoring within consent or ge of predictive noise model provided; clasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels.  Senced water discharge results were within Ell of 875 ML released.	le limits except fo ir Quality g elevated EPA limits with a	
Ima All I Ima Dus PM: Mor regi Lice tota	inpliance noise monitoring within consent or ge of predictive noise model provided; plasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels.  Incend water discharge results were within Ell of 875 ML released.	le limits except fo ir Quality g elevated EPA limits with a	
Ima All I Ima Dus PM Mor regi Lice tota ML)	inpliance noise monitoring within consent or ge of predictive noise model provided; colasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels. Enced water discharge results were within EI of 875 ML released. Enced groundwater extraction was 332 ML (c);	le limits except for ir Quality g elevated EPA limits with a (Entitlement 500	
Ima All I Ima Dus PM: Morregi Lice tota Lice ML) 6 H	inpliance noise monitoring within consent or ge of predictive noise model provided; colasting results within EPA criteria; ge of predictive blasting model provided; st monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels. In the enced water discharge results were within EPA of 875 ML released. In the enced groundwater extraction was 332 ML (constant); a of rehabilitation completed during YEM 20.	le limits except for ir Quality g elevated EPA limits with a (Entitlement 500	
Ima All I Ima Dus PM: Mor regi Lice tota Lice ML) 6 H Ha	inpliance noise monitoring within consent or ge of predictive noise model provided; colasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels.  Senced water discharge results were within EI of 875 ML released.  Senced groundwater extraction was 332 ML (constraint); a of rehabilitation completed during YEM 2025.	le limits except for ir Quality g elevated EPA limits with a (Entitlement 500 024 and further 4	
Ima All I Ima Dus PM: Mor regi Lice ML) 6 H Ha Anr	inpliance noise monitoring within consent or ge of predictive noise model provided; clasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels.  In of 875 ML released.  In of 875 ML released.  In of rehabilitation completed during YEM 2025 and of rehabilitation during YEM 2025 and inspection at the Biodiversity Offset Area	le limits except for ir Quality g elevated EPA limits with a (Entitlement 500 024 and further 4	
Ima All I Ima Dus PM: Mor regi Lice ML) 6 H Ha Anr	inpliance noise monitoring within consent or ge of predictive noise model provided; colasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels.  Senced water discharge results were within EI of 875 ML released.  Senced groundwater extraction was 332 ML (constraint); a of rehabilitation completed during YEM 2025.	le limits except for ir Quality g elevated EPA limits with a (Entitlement 500 024 and further 4	
Ima All I Ima Dus PM: Mor regi Lice tota Lice ML) Anr wee	inpliance noise monitoring within consent or ge of predictive noise model provided; clasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels.  In of 875 ML released.  In of 875 ML released.  In of rehabilitation completed during YEM 2025 and of rehabilitation during YEM 2025 and inspection at the Biodiversity Offset Area	le limits except for ir Quality g elevated EPA limits with a (Entitlement 500 024 and further 4 5; ea indicated no	
Ima All I Ima Dus PM: Mor regi Lice tota Lice ML) Anr wee	inpliance noise monitoring within consent or ge of predictive noise model provided; colasting results within EPA criteria; ge of predictive blasting model provided; st monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels. In the series of the s	le limits except for ir Quality g elevated EPA limits with a (Entitlement 500 024 and further 4 5; ea indicated no	
Ima All I Ima Dus PM: Mor regi Lice tota Lice ML) 6 H Ha Anr wee	inpliance noise monitoring within consent or ge of predictive noise model provided; clasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels.  In of 875 ML released.  In of rehabilitation completed during YEM 20 prepared for rehabilitation during YEM 2021 and inspection at the Biodiversity Offset Are and infestations or wild dog presence; see community complaints were received during the solution of the prepared for wild dog presence; see community complaints were received during the solution of the prepared for wild dog presence; see community complaints were received during the prepared for wild dog presence;	le limits except for ir Quality gelevated EPA limits with a (Entitlement 500 024 and further 45; ea indicated no uring the period.	
Ima All I Ima Dus PM: Mor regi Lice ML) 6 H Ha Anr wee Thr	inpliance noise monitoring within consent or ge of predictive noise model provided; clasting results within EPA criteria; ge of predictive blasting model provided; st monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels. In the enced water discharge results were within EI of 875 ML released. In the enced groundwater extraction was 332 ML (sprepared for rehabilitation during YEM 2025 and inspection at the Biodiversity Offset Are and infestations or wild dog presence; see community complaints were received during that Buttai residents hear the mining mented that Buttai residents hear the mining me	le limits except for ir Quality gelevated EPA limits with a (Entitlement 500 024 and further 45; ea indicated no uring the period.	
Ima All I Ima Dus PM: Mor regi Lice tota Lice ML) Anr wee Thr	inpliance noise monitoring within consent or ge of predictive noise model provided; clasting results within EPA criteria; ge of predictive blasting model provided; st monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels.  In of 875 ML released.  In of 875 ML released.  In of rehabilitation completed during YEM 2025 and of rehabilitation completed during YEM 2025 and inspection at the Biodiversity Offset Are and infestations or wild dog presence; see community complaints were received during than they make a complaint. Complaints	le limits except for ir Quality gelevated EPA limits with a (Entitlement 500 024 and further 45; ea indicated no uring the period.	
Ima All I Ima Dus PM: Mor regi Lice ML) 6 H Ha Anr wee Thr	inpliance noise monitoring within consent or ge of predictive noise model provided; clasting results within EPA criteria; ge of predictive blasting model provided; st monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels.  In of 875 ML released.  In of 875 ML released.  In of rehabilitation completed during YEM 2025 and of rehabilitation completed during YEM 2025 and inspection at the Biodiversity Offset Are and infestations or wild dog presence; see community complaints were received during than they make a complaint. Complaints	le limits except for ir Quality gelevated EPA limits with a (Entitlement 500 024 and further 45; ea indicated no uring the period.	
Ima All I Ima Dus PM: Mor regi Lice tota Lice ML) 6 H Ha Anr wee Thr	inpliance noise monitoring within consent or ge of predictive noise model provided; clasting results within EPA criteria; ge of predictive blasting model provided; at monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels.  Independent of the state of	le limits except for ir Quality gelevated EPA limits with a (Entitlement 500 024 and further 45; ea indicated no uring the period. It is often made	
Ima All I Ima Dus PM: Mor regi Lice tota Lice ML) 6 H Ha Anr wee Thr	inpliance noise monitoring within consent or ge of predictive noise model provided; clasting results within EPA criteria; ge of predictive blasting model provided; st monitoring results were all within allowable 2.5 and PM10 on 5/2/24. On 5/2/24 OEH A nitoring Network data were raised indicating onal dust levels.  In of 875 ML released.  In of 875 ML released.  In of rehabilitation completed during YEM 2025 and of rehabilitation completed during YEM 2025 and inspection at the Biodiversity Offset Are and infestations or wild dog presence; see community complaints were received during than they make a complaint. Complaints	le limits except for ir Quality gelevated EPA limits with a (Entitlement 500 024 and further 45; ea indicated no uring the period. It is often made lable for use.	Į.



	DT noted that the predictive noise enhancement model provided in the presentation shows noise at Louth Park resident but does not hear any mining operations.	WE CARE, WE DELIVE
	CK explained that model shows potential risk of noise enhancement based on meteorological forecasts but does not necessarily mean operations will be heard.	
	JM commented that main issue amongst Buttai neighbours is dust on houses.	
	CK provided information on the impacts of smoke from wood fired heaters and referred to a scientific paper characterising dust particles found through sampling/monitoring.	Action: CK to provide CCC with copy of report.
	DT enquired whether sampling can determine where the dust is coming from. GL responded no.	oop) on roper
	DT asked whether there was testing carried out on the two creeks under Mt Vincent Rd. GL advised no, as it only runs off onto rehabilitation land.	
	DT requested information on the type of grasses are planted – GL advised that it is a mixture.	
5	Correspondence	
	As sent out with meeting notice on 7/11/24.	
	• 18/7/24 – Email to members with the draft minutes for review.	
	26/7/24 - Email to members with the finalised minutes with	
	presentation.	
	<ul> <li>29/7/24 – Emails to and from DT. LA offered for CK to contact</li> </ul>	
	him to discuss Modification.	
	3/10/24 – Email from MJ querying Action Item from last meeting	
	to inform CCC about EIS exhibition & providing a link. Email	
	forwarded to Bloomfield for information	
	3/10/24 – Email to MJ (& ors) advising that link was EPBC      referred & net DRI II subjiction of EIC	
	referral & not DPHI exhibition of EIS.  • 4/11/24 – Notice for comment on Bloomfield IEA.	
	<ul> <li>7/11/24 – Notice for comment off Bloomfield IEA.</li> <li>7/11/24 – Email to members with the Meeting Notice &amp; Agenda</li> </ul>	
	for this meeting.	
	12/11/24 – Email to members with video-link for participating in	
	this CCC remotely.	
	, , ,	
6	<ul> <li>this CCC remotely.</li> <li>14/11/24 – Email from consultant advising that comments provided for IEA will be included.</li> </ul>	
6	this CCC remotely.  14/11/24 – Email from consultant advising that comments provided for IEA will be included.  General update	
6	this CCC remotely.  • 14/11/24 – Email from consultant advising that comments provided for IEA will be included.  General update  GL provided an update covering the following:	
6	this CCC remotely.  14/11/24 – Email from consultant advising that comments provided for IEA will be included.  General update	



		GROU
	<ul> <li>The biennial grazing monitoring fieldwork completed and waiting on report;</li> <li>Independent Environmental Audit in progress;</li> <li>NGERS report submitted;</li> <li>NSW Resource Regulator conducted a Revegetation Targeted Assessment Program (TAP);</li> <li>7 Ha of rehabilitation on tailings dam in progress;</li> <li>Dog baiting program to be carried out;</li> <li>Construction of the Kurri Kurri Gas Pipeline in progress.</li> </ul> CK provided a brief overview of the NSW Resource Regulators revegetation TAP. As per Item 6 above, CK provided a presentation on how Bloomfield manages biodiversity offsets. JM commented that it would be preferable if biodiversity offsets were established closer to the mine where the vegetation is being cleared. Regarding the presentation, it was good to see what was being done in establishing offsets on older grazing properties.	Action: Provide DELIVE overview of IEA at next CCC
	CK provided brief presentation on a query from a member regarding a question in the Social Impact Assessment survey.	
6	Bloomfield Colliery Continuation Project	
	<ul> <li>CK provided a presentation on the Bloomfield Colliery Continuation Project progress since the last CCC meeting:</li> <li>Project referred to EPBC for decision if Continuation Project will be a controlled action;</li> <li>Meeting held with DCCEEW with further information requested;</li> <li>Decision from DCCEEW regarding controlled action was expected 13 November;</li> <li>Further updates provided to NSW Resources (26/10, 7/11), Resources Regulator 21/10.</li> </ul>	
	<ul> <li>CK provided additional presentation on the Bloomfield Colliery Continuation Project moving forward:</li> <li>Awaiting decision from DCCEEW (Cwth) following EPBC referral if Project is a controlled action;</li> <li>EIS to be submitted to DPHI November / December;</li> <li>Modification to be submitted under Section 4.55 (2);</li> <li>Project is required to go on exhibition. (at least 28 days if controlled action). Expected from early January 2025;</li> <li>DPHI will publish all submissions and request Bloomfield to respond;</li> <li>Bloomfield will submit Response to Submission Report to address all submissions;</li> <li>DPHI will assess the Project Modification based on merits having regard to the economic, environmental and social impacts of the</li> </ul>	Action: CK to advise CCC when EIS is on exhibition.



	modified project and the principles of ecologically sustainable development;	WE CARE. WE DELIVER
	Project will be determined by DPHI (NSW) and DCCEEW (Cwth).	
7	General Business	
	JM commented about the EPBC referral and the koala habitat trees, stating that she had never seen a koala in the area, however her neighbour said she had seen one on Browns Rd when Daracon were tar sealing.	
	CK advised that a koala survey has been undertaken and whilst none were recorded, feed trees will still be included.	
8	Next Meeting	
	The meeting schedule planned for 2025 were proposed: Monday 10 March, 2 June and 13 October, on site commencing at 10am.	
9	Meeting Close:	
	The meeting closed at 11:22am with LA thanking all for their contribution throughout 2024 and wishing members a safe festive season.	

## **ACTION ITEMS:**

ITEM	ACTION	RESPONSIBILITY
1	Provide copy of scientific report on dust sampling/monitoring	CK
	(complete – sent 18/11/24)	
2	Provide overview of IEA at next CCC	GL
3	Advice CCC when EIS is on exhibition	CK/LA

## Acronyms referred to in minutes:

CCC	Community Consultative Committee
EIS	Environmental Impact Statement
DPHI	Dept of Planning, Housing and Infrastructure
EPBC	Environment Protection and Biodiversity Conservation
DCCEEW	Dept of Climate Change, Energy, the Environment and Water